

www.zinga.be

## **ZINGASOLV**

ZM-RE-PRO-04-A (01/08/06)

Zingasolv is a C9-C10 aromatic hydrocarbon solvent. ZINGASOLV is manufactured to the highest standards. It does not contain detectable quantities of polycyclic aromatics, heavy metals or chlorinated compounds.

# Physical data and technical information

#### Wet product

Density (at 15°C)	0,87 to 0,885 Kg/dm³
Flash point	≥ 40°C to < 60°C
Dry point	Maximum 185°C
Initial boiling point	Minimum 164°C

#### Dry film

•		
l Colour	l cloor	
COUCUI	i clear	

### • Packing

1 Lt	available, packed in undividable boxes of 12 x 1 Lt	
5 Lt	available	
25 Lt	available	
200 Lt	available	

#### Conservation

Storage	40 magnetics if at any allowers with a small part of culting and it are
I Storage	12 months if stored properly and handled with caution.
Ciorago	12 months if stored properly and harrance with eaction.

For more specific and detailed recommendations concerning the application of Zingasolv, please contact the Zingametall representative. For detailed information about the health and safety hazards and precautions for use, please refer to the Zingasolv **safety data sheet**.

Waiver\*

\_

<sup>\*</sup> The information on this sheet is merely indicative and is given to the best of our knowledge based on practical experience and testing. The conditions or methods of handling, storage, use or disposal of the product cannot be controlled by us and are therefore outside our responsibility. For these and other reasons we retain no liability in case of loss, damage or costs that are caused by or that are linked in any way to the handling, storage, use or disposal of the product. Any claim concerning deficiencies must be made within 3 months upon reception of the goods quoting the relevant batch number. We retain the right to change the formula if properties of the raw material are changed. This data sheet replaces all former specimens.